

Specifiers



HYDROTAP G5 B ELITE PLUS CHROME

Order Code H5E786Z00AU



FILTERED

BOILING

Zip HydroTap Design Range Boiling, Filtered water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 2 energy saving modes including ON/OFF timers and 2 hour sleep mode, SteriTouch® antimicrobial protection impregnated into key water paths for enhanced hygiene, and 0.2 micron water filtration.

Manufacturing Code	H5E786Z00AU
--------------------	-------------

Capacity	Residential
----------	-------------



Specifications

[Specification Sheet](#)

Tap	Zip HydroTap Design Range ELITE PLUS Tap (Chrome)
Water Pressure	Min 250kPa - Max 700kPa
Water Connection	1/2" BSP (G1/2)
Water Supply Requirements	Cold
Water Valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Power Rating	1.35kW 220-240V 50Hz
Power Supply	1 x 10 Amp socket outlet
Dimensions	W280mm x D313mm x H333mm
Product Approvals	WaterMark, RCM, ARC
Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)

[Download more resources](#)

[Download BIM Files](#)

Click the icons below to download individual files

— DOWNLOAD PDF FILES

Manuals

Quick Guide

Brochures

Product Brochure

Certifications

Filter Performance Images

Filter Performance Data

Health Safety Image

Health Safety Download

Environment ISO Image

Environment ISO Download

Quality ISO Image

Quality ISO Download

CE Image

RCM Image

Watermark

Environmental Product Declaration Brochure

Environmental Product Declaration